



TM3000. Enrich your farming.



Download the App for free




Tire iBrochure

TM3000 The solution for sustainable farming.

The new TM3000, designed according to the **BLUE TIRE** Technology, is the Trelleborg's answer to the latest and future generations of harvesters and combine machines. A new tread pattern, along with the advanced carcass design, maximise the load capacity of the tire at low inflation pressure.

TM3000 respects the soil and boosts crop yield while preserving the environment. Matching sustainable and precision farming approaches, TM3000 is the right choice to increase the

productivity of your farm, lowering overall operating costs whilst looking after the safety and comfort of the operators.



Sharp inclination of the lug to provide excellent stability on slopes

Increased lug base diameter to improve manoeuvrability and reduce stress in the shoulder area

Inter-lug terracing at the base of the lug to maximise the self-cleaning capability of the tire

Rounded shoulder profile to prevent stubble damage, results in high durability


Rounded lug base to support the tire during combine steering



Printed on
recycled paper


Extra wide footprint

The latest tests performed by Trelleborg show that the TM3000's footprint is up to 5% wider than its premium competitor.



The larger contact area of the TM3000 significantly reduces soil compaction. The wide footprint area provides better flotation

characteristics than competition, respecting the soil and preserve its organic life by minimising mechanical damage caused by compression.



TM3000

SIZE	Tread Pattern	SW mm	OD mm	SLR mm	RC mm	SRI	Rim	Permitted Rims	Type
VF 1000/50R25 184D Design data	TM3000	1030	1640		4870	775	36.0 TH		TUBELESS
VF 620/70R26 CFO 173A8	TM3000	595	1500	645	4530	725	DW20B		TUBELESS
VF 750/50R26 169D	TM3000	750	1415	615	4230	675	DW27B	DW25B	TUBELESS
New VF 750/65R26 CFO 177A8 (177B)	TM3000						In preparation		
650/75R32 172A8	TM3000	618	1817	820	5500	825	DW20B		TUBELESS
IF 800/65R32 CFO 178A8	TM3000	755	1850	810	5575	875	DW27B		TUBELESS
IF 800/70R32 CFO 182A8	TM3000	775	1950	850	5845	925	DW27B		TUBELESS
New IF 900/65R32 CFO 191A8 (191B)	TM3000						In preparation		
VF 1050/50R32 198D	TM3000	1035	1860	820	5570	875	36.00 VA		TUBELESS
IF 800/70R38 CFO 187A8	TM3000	780	2050	910	6190	975	DW27B		TUBELESS



TRELLEBORG



Trelleborg Wheel Systems Italia S.p.A.
Via Nazionale Tiburtina, 143 - 00010 Villa Adriana (RM) Italy
Phone: +39 0774 384701 - Fax: +39 0774 384702
www.trelleborg.com/wheels